
# Lexmark Managed Print Services Monthly Report: Jan 2020

## 03M485 - F LAGUARDIA HIGH SCHOOL, 100 AMSTERDAM AVE, Manhattan, NY 10023-6406

Please find enclosed a snap shot of your school's printer environment. The printer breakdown and data encompasses only the printers we can see on your network. You may have additional printers that are locally connected (e.g. USB attached), but those are not included in this breakdown.



From the list provided on page 3 are all of your printers represented? If not, how many are missing Providing Lexmark the asset data that is missing will allow us to give you a more accurate

Do you know how many printers you have in your main office, compared to the number of people who sit in the main office?


Reducing the number of devices and using the most efficient models in the right locations can help your school save money.

## Chart 2 – Printer Age Statistics

Here we show the average age of your printers and show the distribution among 3 age categories; under 3 years old, 3-5 years old and over 5 years old.

#### **Printer Age Statistics**

Average Age (years)	3
Printers < 3 years	18
Printers 3 - 5 years	3
Printer > 5 years	2



The age of your printer fleet plays a large role in your annual printer maintenance and toner cost. The DOE only supports printers 6 years and younger.

Once the warranty expires and the age of your device exceeds 6 years, maintenance and repairs become very costly.

New printers have higher toner yields than older printers, resulting in lower cost per page which saves money.

Newer printers are Energy Star compliant and have advanced eco settings which help reduce energy usage and saves money.

#### Glossary

B/W - Black and White Printing Only Color - Color or Black and White Printing

picture of your printer environment.

Duplex - Printing on both sides of the paper.


Simplex - Single Sided Printing

## Chart 3 - Volume of Pages Printed

This provides your printed page volumes for the previous month for both B/W and color print jobs. In addition, a utilization percentage is calculated by comparing your print volume for each printer to the maximum monthly volume capacity for that printer model.

#### Volume of pages printed

retaine of pages printer	•
Monthly B/W pages	35,462
Monthly color pages	100
Total monthly pages	35,562
Color page %	0%
Utilization %	11%



#### Do you know if all of your printers are being used and how much?

Knowing where volumes are created helps identify areas for consolidation and helps you select the most efficient printers for replacement.

#### Are you printing a large amount of color volume?

Controlling color volume, which typically costs more than black and white, can help your school save money.

## Actions you can take to Save your School Money


Use highest yield toner whenever possible to lower the cost per page.

Consider replacing printers over 6 years old to optimize eco-friendly printer environment.

Duplex multiple page documents when possible to reduce paper usage.

### Chart 4 - Duplex Breakdown

This section shows the percentage of duplexed (double-sided) pages printed along with your duplex opportunity. Duplex opportunity is the total number of pages that could be printed duplex and does not include single page documents. Keep in mind, only the newer printers report duplex statistics. The duplex opportunity shows the prior month's print volume, from the printers with duplex statistics, that could have been duplexed.



#### **Duplex breakdown**

Duplex opportunity	1,079
Duplex	11%

#### Did you know that your printers are able to print on both back and front of the page?

Increasing your school's use of double sided printing helps reduce your environmental impact and will help your school save money.

#### The average duplex rate for the NYC DOE is 14%

A modest improvement in duplex of 10% would reduce the carbon footprint by over 435,000 pounds of CO<sub>2</sub> per year, and save the DOE over \$78,000 in paper costs annually.

Lexmark printers 6 years and younger all have duplex capability. The following duplex initiatives can reduce paper consumption and save money:

Setting duplex as your default setting on your printer Educating end users about the benefit of duplex printing.

For more information on how the DOE is focused on Sustainability check:

http://schools.nyc.gov/community/facilities/sustainability/about/

MS510dn         451444HH1F2BG         5         0%         32         32           MS510DN         45147CHH3RBZR         3         3           MS810DE         40637D6605WY8         2         2           MS810de         40635C6606MGT         4         52%         Yes         10435         1043           MS810de         406347990KMZ5         4         3%         Yes         573         573           MS810de         4063796605WY2         2         1%         262         262           MS810DE         40637D6605WY2         2         1%         262         263           MS810DE         40637D6605WY2         2         1%         775         773           MS810DE         40637D6605WY2         2         30%         5951         595           MS810DE         40637D6605WY5         2         30%         5951         595           MX410DE         70157GLM1TVV9         2         50%         4962         496           MX410DE         70157GLM1FXXM         2         2%         192         19           MX410DE         70157GLM1WKP         2         8%         834         83           MX410DE         70157GLM1	CX510DE	752709946TH4V	2	0%		1	1	2
MS510dn         451444HH1F2BG         5         0%         32         32           MS510DN         45147CHH3RBZR         3         3           MS810DE         40637D6605WY8         2         5           MS810de         40635C6606MGT         4         52%         Yes         10435         10435           MS810de         406347990KMZ5         4         3%         Yes         573         573           MS810de         4063368906CLZ         6         5         573         573           MS810DE         4063706605WY2         2         1%         262         262           MS810DE         40637D6605WY2         2         1%         262         263           MS810DE         40637D6605WY2         2         30%         5951         595           MS810DE         40637D6605WY5         2         30%         5951         595           MX410DE         70157GLM1TVV9         2         50%         4962         496           MX410DE         70157GLM1FXXM         2         2%         192         192         192           MX410DE         70157GLM1WKP         2         8%         834         834           MX410DE <td>CX725DHE</td> <td>75287520121W0</td> <td>2</td> <td></td> <td></td> <td>30</td> <td>57</td> <td>87</td>	CX725DHE	75287520121W0	2			30	57	87
MS510DN     45147GHH3RBZR     3       MS810DE     40637D6605WY8     2       MS810de     40635C6606MGT     4     52%     Yes     10435     1043       MS810de     406347990KMZ5     4     3%     Yes     573     573       MS810de     406347990KMZ5     4     3%     Yes     573     573       MS810DE     4063706605WY2     2     1%     262     262       MS810DE     40637D6605WY2     2     1%     262     262       MS810DE     40637D6605WY7     3     3       MS810DE     40637D6605WYR     2     4%     775     775       MS810DE     40637D6605WY5     2     30%     5951     595       MX410DE     70157GLM1TVV9     2     50%     4962     496       MX410DE     70157GLM1F0Y9     3     192     192       MX410DE     70157GLM1RXM     2     2%     192     192       MX410DE     70157GLM1VMLL     2     8%     834     834       MX410DE     70157GLM1VMKP     2     8%     834     834       MX410DE     70157GLM1TVVM     2     6%     595     595       MX421ADE     70179083090PL     0     4%	MS510dn	451444HH1F2BG	5	0%		32		32
MS810de         40635C6606MGT         4         52%         Yes         10435         10435           MS810de         406347990KMZ5         4         3%         Yes         573         573           MS810de         4063369906CLZ         6	MS510DN	45147GHH3RBZR	3					
MS810de         406347990KMZ5         4         3%         Yes         573         573           MS810de         4063369906CLZ         6	MS810DE	40637D6605WY8	2					
MS810de         406347990KMZ5         4         3%         Yes         573         573           MS810de         4063369906CLZ         6	MS810de	40635C6606MGT	4	52%	Yes	10435		10435
MS810DE     4063369906CLZ     6       MS810DE     4063706605WY2     2     1%     262     263       MS810DE     4063706605WYR     3								573
MS810DE     40637D6605WY2     2     1%     262     262       MS810DE     40637D6605WYR     3								
MS810DE     40637C6600NPY     3       MS810DE     40637D6605WYR     2     4%     775     775       MS810DE     40637D6605WY5     2     30%     5951     595       MX410DE     70157GLM1TVV9     2     50%     4962     496       MX410DE     70157GLM1F0Y9     3     192     193       MX410DE     70157GLM1RXXM     2     2%     192     193       MX410DE     S70157GLM1VMLL     2     8%     834     834       MX410DE     70157GLM1TVT5     2     7%     741     744       MX410DE     70157GLM1TVVM     2     6%     595     593       MX421ADE     70179083090NW     0     4%     371     374       MX421ADE     70179083090PL     0     4%     371     374				1%		262		262
MS810DE     40637D6605WYR     2     4%     775     775       MS810DE     40637D6605WY5     2     30%     5951     595       MX410DE     70157GLM1TVV9     2     50%     4962     496       MX410DE     70157GLM1F0Y9     3     9       MX410DE     70157GLM1RXXM     2     2%     192     192       MX410DE     S70157GLM1VMLL     2     8%     834     834       MX410DE     70157GLM1VMKP     2     8%     834     834       MX410DE     70157GLM1TVT5     2     7%     741     74*       MX410DE     70157GLM1TVVM     2     6%     595     595       MX421ADE     70179083090NW     0     4%     371     37*       MX421ADE     70179083090PL     0     0     4*     371     37*				170		202		202
MS810DE     40637D6605WY5     2     30%     5951     595       MX410DE     70157GLM1TVV9     2     50%     4962     496       MX410DE     70157GLM1F0Y9     3     ****     *****     *****     192     192     192       MX410DE     70157GLM1VMLL     2     *****     *****     *****     *****     *****     *****     *****       MX410DE     70157GLM1VMKP     2     8%     834     834     834       MX410DE     70157GLM1TVT5     2     7%     741     74***       MX410DE     70157GLM1TVVM     2     6%     595     595       MX421ADE     70179083090NW     0     4%     371     37***       MX421ADE     70179083090PL     0				10/_		775		775
MX410DE     70157GLM1TVV9     2     50%     4962     496       MX410DE     70157GLM1F0Y9     3								
MX410DE     70157GLM1F0Y9     3       MX410DE     70157GLM1RXXM     2     2%     192     193       MX410DE     S70157GLM1VMLL     2     2     8     834     834       MX410DE     70157GLM1TVT5     2     7%     741     74*       MX410DE     70157GLM1TVVM     2     6%     595     593       MX421ADE     70179083090NW     0     4%     371     37*       MX421ADE     70179083090PL     0								
MX410DE     70157GLM1RXXM     2     2%     192     192       MX410DE     S70157GLM1VMLL     2       MX410DE     70157GLM1VMKP     2     8%     834     834       MX410DE     70157GLM1TVT5     2     7%     741     74*       MX410DE     70157GLM1TVVM     2     6%     595     595       MX421ADE     70179083090NW     0     4%     371     37*       MX421ADE     70179083090PL     0				30%		4962		4902
MX410DE     \$70157GLM1VMLL     2       MX410DE     70157GLM1VMKP     2     8%     834     834       MX410DE     70157GLM1TVT5     2     7%     741     74*       MX410DE     70157GLM1TVVM     2     6%     595     595       MX421ADE     70179083090NW     0     4%     371     37*       MX421ADE     70179083090PL     0     0     0     0     0				20/		100		100
MX410DE     70157GLM1VMKP     2     8%     834     834       MX410DE     70157GLM1TVT5     2     7%     741     74*       MX410DE     70157GLM1TVVM     2     6%     595     595       MX421ADE     70179083090NW     0     4%     371     37*       MX421ADE     70179083090PL     0				Z%		192		192
MX410DE     70157GLM1TVT5     2     7%     741     74*       MX410DE     70157GLM1TVVM     2     6%     595     595       MX421ADE     70179083090NW     0     4%     371     37*       MX421ADE     70179083090PL     0								
MX410DE 70157GLM1TVVM 2 6% 595 595 MX421ADE 70179083090NW 0 4% 371 371 MX421ADE 70179083090PL 0								
MX421ADE 70179083090NW 0 4% 371 37' MX421ADE 70179083090PL 0								741
JX421ADE 70179083090PL 0								595
	MX421ADE			4%		371		371
MX711dhe 74635C660163N 4 37% Yes 9181 918	MX421ADE							
	MX711dhe	74635C660163N	4	37%	Yes	9181		9181

<< End of Data >>

03M485 - Jan 2020 - Page 3

For more information regarding this snapshot, please contact your Lexmark team

**Lexmark Team** 

CDW Team CDW Sales Department – 800-705-4239

Title	Name	E-Mail	Phone
Client Executive	Mindy Maher	mmaher@lexmark.com	212-880-2837
Site Operations	Mark Ennis	mennis@lexmark.com	908-210-3030
Systems Engineer	TBD	TBD	TBD

Title	Name	E-Mail	Phone	
Sales Manager	John Skidmore	john.skidmore@cdwg.com	(866) 687-3187	
Sales Operations	Jon Gray	jongray@cdw.com	(203) 851-7133	
NYCDOE@cdwg.com				