
Lexmark Managed Print Services Monthly Report: Jan 2020 30Q141 - I.S. 141 The Steinway, 37-11 21 Avenue, Queens, NY 11105-1838

Please find enclosed a snap shot of your school's printer environment. The printer breakdown and data encompasses only the printers we can see on your network. You may have additional printers that are locally connected (e.g. USB attached), but those are not included in this breakdown.



From the list provided on page 3 are all of your printers represented? If not, how many are missing Providing Lexmark the asset data that is missing will allow us to give you a more accurate

picture of your printer environment.

Do you know how many printers you have in your main office, compared to the number of people who sit in the main office?


Reducing the number of devices and using the most efficient models in the right locations can help your school save money.



Here we show the average age of your printers and show the distribution among 3 age categories; under 3 years old, 3-5 years old and over 5 years old.

Printer Age Statistics

| Average Age (years) | 2 |
|----------------------|----|
| Printers < 3 years | 38 |
| Printers 3 - 5 years | 6 |
| Printer > 5 years | 4 |



The age of your printer fleet plays a large role in your annual printer maintenance and toner cost. The DOE only supports printers 6 years and younger.

Once the warranty expires and the age of your device exceeds 6 years, maintenance and repairs become very costly.

New printers have higher toner yields than older printers, resulting in lower cost per page which saves money.

Newer printers are Energy Star compliant and have advanced eco settings which help reduce energy usage and saves money.

Glossary

B/W - Black and White Printing Only Color - Color or Black and White Printing Duplex - Printing on both sides of the paper.


Simplex - Single Sided Printing

Chart 3 - Volume of Pages Printed

This provides your printed page volumes for the previous month for both B/W and color print jobs. In addition, a utilization percentage is calculated by comparing your print volume for each printer to the maximum monthly volume capacity for that printer model.

Volume of pages printed

| 1 0 1 | |
|---------------------|--------|
| Monthly B/W pages | 21,817 |
| Monthly color pages | 718 |
| Total monthly pages | 22,535 |
| Color page % | 3% |
| Utilization % | 2% |



Do you know if all of your printers are being used and how much?

Knowing where volumes are created helps identify areas for consolidation and helps you select the most efficient printers for replacement.

Are you printing a large amount of color volume?

Controlling color volume, which typically costs more than black and white, can help your school save money.

Actions you can take to Save your School Money


Use highest yield toner whenever possible to lower the cost per page.

Consider replacing printers over 6 years old to optimize eco-friendly printer environment.

Duplex multiple page documents when possible to reduce paper usage.

Chart 4 - Duplex Breakdown

This section shows the percentage of duplexed (double-sided) pages printed along with your duplex opportunity. Duplex opportunity is the total number of pages that could be printed duplex and does not include single page documents. Keep in mind, only the newer printers report duplex statistics. The duplex opportunity shows the prior month's print volume, from the printers with duplex statistics, that could have been duplexed.



Duplex breakdown

| Duplex opportunity | Info Not Available | | |
|--------------------|--------------------|--|--|
| Duplex | 0% | | |

Did you know that your printers are able to print on both back and front of the page?

Increasing your school's use of double sided printing helps reduce your environmental impact and will help your school save money.

The average duplex rate for the NYC DOE is 14%

A modest improvement in duplex of 10% would reduce the carbon footprint by over 435,000 pounds of CO₂ per year, and save the DOE over \$78,000 in paper costs annually.

Lexmark printers 6 years and younger all have duplex capability. The following duplex initiatives can reduce paper consumption and save money:

Setting duplex as your default setting on your printer Educating end users about the benefit of duplex printing.

For more information on how the DOE is focused on Sustainability check:

http://schools.nyc.gov/community/facilities/sustainability/about/

| CS725DE CCX622ADE MS510DN MS510DN MS510DN MS510DN MS510DN MS621DN | 50289010F3MHB 7529311458BZ 45146PHH37180 45147GHH3RXRR 45147GHH3RXRR 45147GHH48C7L 45148PHH4NF6Y 460090200LWHM 460090200LWD3 460090200LWN2 460090200LWN1 460090200LWNZ 460090200LWNT 460090200LWNT 460090230NFBF 460090530NFBF 460090530NFBF 460090530NFBB 460090530NFBB 460090530NFBB 460090530NFBB 460090530NFBC 460090530NFBC 460090530NFBC 460090530NFBC 460090530NFC0 460090530NFKN 460084800K2TC 460084800K2TC | 1 0 3 3 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 10% 2% 5% 3% | | 345 466 1094 675 | 663 | 1008 466 1094 675 |
|---|--|--|-----------------------|-----|---------------------------|-----|----------------------------|
| MS510DN MS510DN MS510DN MS510DN MS510DN MS621DN | 45146PHH37180 45147GHH3RXRR 45147GHH3RZTL 45148PHH4NF6Y 460090200LWHM 460090200LWN6 460090200LVN2 460090200LVN2 460090200LVNZ 460090200LVNZ 460090200LVNZ 460090230NFBC 460090530NFBC 460090530NFBC 460090530NFBL | 3 3 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 2% 5% 3% | | 466 1094 | 663 | 466 1094 |
| MS510DN MS510DN MS510DN MS510DN MS621DN | 45147GHH3RXRR 45147GHH48C7L 45148PHH4NF6Y 460090200LWHM 460090200LWD3 460090200LWN2 460090200LWN2 460090200LWN1 460090200LWNY 460090200LWNY 460090200LWNT 460090530NFBC 460090530NFBM 460090530NFBY 460090530NFBH 460090530NFBL 460090530NFBL 460090530NFBL 460090530NFBL 460090530NFBL 460090530NFBL 460090530NFBL 460090530NFBL 460090530NFL3 460090530NFC0 460090530NFC0 460090530NFC0 | 3 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 5% 3% | | 1094 | | 1094 |
| MS510DN MS510DN MS510DN MS621DN | 45147GHH48C7L 45148PHH4NF6Y 460090200LWHM 460090200LVP3 460090200LVN6 460090200LVN1 460090200LVN1 460090200LVNV 460090200LVNT 460090230NFBC 460090530NFBC 460090530NFBH 460090530NFBY 460090530NFBY 460090530NFBY 460090530NFBY 460090530NFBY 460090530NFBY 460090530NFBY 460090530NFBY 460090530NFBY 460090530NFBC | 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 5% 3% | | 1094 | | 1094 |
| MS510DN MS621DN | 45148PHH4NF6Y 460090200LWHM 460090200LWP3 460090200LVN6 460090200LVN1 460090200LVN1 460090200LVNV 460090200LVNZ 460090230NFBC 460090530NFBC 460090530NFBF 460090530NFBY 460090530NFBL | 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 5% 3% | | 1094 | | 1094 |
| MS621DN | 460090200LWHM 460090200LVP3 460090200LVN6 460090200LVN2 460090200LVN1 460090200LVNT 460090200LVNT 460090200LVNT 460090530NFBC 460090530NFBM 460090530NFBM 460090530NFBM 460090530NFBL 460090530NFBL 460090530NFBL 460090530NFBL 460090530NFBL 460090530NFBL 460090530NFBL 460090530NFBC 460090530NFL3 460090530NFL3 460090530NFKN 460084800K2TF 460084800K2TF | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 5% 3% | | 1094 | | 1094 |
| MS621DN | 460090200LWHM 460090200LVP3 460090200LVN6 460090200LVN2 460090200LVN1 460090200LVNT 460090200LVNT 460090200LVNT 460090530NFBC 460090530NFBM 460090530NFBM 460090530NFBM 460090530NFBL 460090530NFBL 460090530NFBL 460090530NFBL 460090530NFBL 460090530NFBL 460090530NFBL 460090530NFBC 460090530NFL3 460090530NFL3 460090530NFKN 460084800K2TF 460084800K2TF | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 5% 3% | | 1094 | | 1094 |
| MS621DN | 460090200LVP3 460090200LVN6 460090200LVN1 460090200LVN1 460090200LVNV 460090200LVNV 460090230NFBC 460090530NFBC 460090530NFBY 460090530NFBY 460090530NFBL 460090530NFBL 460090530NFBL 460090530NFBL 460090530NFBL 460090530NFL3 460090530NFC0 460090530NFC0 460090530NFC0 460084800K2TF 460084800K2TF | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 5% 3% | | 1094 | | 1094 |
| MS621DN | 460090200LVN6 460090200LVN1 460090200LVN1 460090200LVNV 460090200LVNZ 460090200LVNT 460090530NFBC 460090530NFBF 460090530NFBY 460090530NFBY 460090530NFBS 460090530NFBS 460090530NFBC 460090530NFBC 460090530NFBC 460090530NFL3 460090530NFC0 460090530NFC0 460090530NFC0 460084800K2TF | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 3% | | | | |
| MS621DN | 460090200LVN2 460090200LVN1 460090200LVNV 460090200LVNZ 460090200LVNZ 460090530NFBC 460090530NFBH 460090530NFBH 460090530NFBL 460090530NFBL 460090530NFBL 460090530NFBL 460090530NFBL 460090530NFBL 460090530NFBC 460090530NFC0 460090530NFC0 460090530NFC0 460090530NFC0 460084800K2TF | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 3% | | | | |
| MS621DN | 460090200LVN1 460090200LVNZ 460090200LVNZ 460090200LVNT 460090530NFBC 460090530NFBM 460090530NFBM 460090530NFBL 460090530NFBL 460090530NFBL 460090530NFL3 460090530NFC0 460090530NFKN 460084800K2TF 460084800K2TC | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 3% | | | | |
| MS621DN | 460090200LVNV 460090200LVNT 460090200LVNT 460090530NFBC 460090530NFBM 460090530NFBY 460090530NFBY 460090530NFBL 460090530NFBL 460090530NFL3 460090530NFC0 460090530NFKN 460084800K2TF 460084800K2TF | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 3% | | | | |
| MS621DN | 460090200LVNZ 460090200LVNT 460090530NFBC 460090530NFBF 460090530NFBY 460090530NFBL 460090530NFBL 460090530NFBC 460090530NFC0 460090530NFC0 460090530NFKN 460084800K2TF 460084800K2TF | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 3% | | | | |
| MS621DN | 460090200LVNT 460090530NFBF 460090530NFBM 460090530NFBM 460090530NFBY 460090530NFBG 460090530NFBG 460090530NFC0 460090530NFKN 460084800K2TF 460084800K2TF | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 3% | | | | |
| MS621DN MS621DN MS621DN MS621DN MS621DN MS621DN MS621DN MS621DN MS621DN MS621DN MS621DN MS621DN MS621DN MS621DN MS621DN MS621DN MS621DN | 460090530NFBC 460090530NFBM 460090530NFBM 460090530NFBY 460090530NFBL 460090530NFL3 460090530NFC0 460090530NFKN 460084900K8PW 460084800K2TF 460084800K2TF | 1 1 1 1 1 1 1 1 1 1 1 1 | 0% | | 675 | | 675 |
| MS621DN MS621DN MS621DN MS621DN MS621DN MS621DN MS621DN MS621DN MS621DN MS621DN MS621DN MS621DN MS621DN MS621DN MS621DN MS621DN | 460090530NFBF 460090530NFBM 460090530NFBY 460090530NFBL 460090530NFBG 460090530NFC0 460090530NFKN 460084900K8PW 460084800K2TF 460084800K2TC | 1 1 1 1 1 1 1 1 1 1 | 0% | | 675 | | 675 |
| MS621DN MS621DN MS621DN MS621DN MS621DN MS621DN MS621DN MS621DN MS621DN MS621DN MS621DN MS621DN | 460090530NFBM 460090530NFBL 460090530NFBG 460090530NFBG 460090530NFC0 460090530NFKN 460080530NFKN 460084900K8PW 460084800K2TF 460084800K2TF | 1 1 1 1 1 1 1 1 | 0% | | 675 | | 675 |
| MS621DN MS621DN MS621DN MS621DN MS621DN MS621DN MS621DN MS621DN MS621DN MS621DN MS621DN | 460090530NFBY 460090530NFBG 460090530NFBG 460090530NFL3 460090530NFC0 460090530NFKN 460084900K8PW 460084900K2TF 460084800K2TF | 1 1 1 1 1 1 1 | 0% | | 675 | | 675 |
| MS621DN MS621DN MS621DN MS621DN MS621DN MS621DN MS621DN MS621DN MS621DN | 460090530NFBL 460090530NFBG 460090530NFL3 460090530NFC0 460090530NFKN 460084900K8PW 460084800K2TF 460084800K2TF | 1 1 1 1 1 1 | 0% | | 675 | | 675 |
| MS621DN MS621DN MS621DN MS621DN MS621DN MS621DN MS621DN MS621DN | 460090530NFBG 460090530NFL3 460090530NFC0 460090530NFKN 460084900K8PW 460084800K2TF 460084800K2TC | 1 1 1 1 1 | | | | | |
| MS621DN MS621DN MS621DN MS621DN MS621DN MS621DN MS621DN | 460090530NFL3 460090530NFC0 460090530NFKN 460084900K8PW 460084800K2TF 460084800K2TC | 1 1 1 1 | | | | | |
| MS621DN MS621DN MS621DN MS621DN MS621DN | 460090530NFC0 460090530NFKN 460084900K8PW 460084800K2TF 460084800K2TC | 1 1 1 1 | | | | | |
| MS621DN MS621DN MS621DN MS621DN | 460090530NFKN 460084900K8PW 460084800K2TF 460084800K2TC | 1 1 1 | | | | | |
| MS621DN MS621DN MS621DN | 460084900K8PW 460084800K2TF 460084800K2TC | 1 1 | | | | | |
| MS621DN MS621DN | 460084800K2TF 460084800K2TC | 1 | | | 20 | | 20 |
| MS621DN | 460084800K2TC | | | | | | |
| MS621DN | 460084800K2TC | | 7% | | 1488 | | 1488 |
| | | 1 | | | | | |
| | | 1 | | | | | |
| MS621DN | 460084800K30X | 1 | | | | | |
| MS621DN | 460084800K2TN | 1 | 1% | | 205 | | 205 |
| MS621DN | 460084800K310 | 1 | 0% | | 38 | | 38 |
| MS621DN | 460084800K2T9 | 1 | 0 70 | | 30 | | 30 |
| MS810DE | 40637C660045T | 3 | 11% | Yes | 2106 | | 2106 |
| | | | | 162 | | | |
| MS810de | 4063369908L32 | 6 | 8% | | 1588 | | 1588 |
| MS822DE | 4064842013337 | 1 | 40/ | | 1000 | | 4000 |
| MS822DE | 4064835012BXZ | 1 | 4% | | 1983 | | 1983 |
| MS822DE | 4064902014L8L | 1 | 9% | | 4307 | | 4307 |
| MS822DE | 4064902014L5M | 1 | 2% | | 815 | | 815 |
| MS822DE | 4064903014PRN | 1 | 11% | | 5403 | | 5403 |
| MS822DE | 4064903014PNM | 1 | | | | | |
| MX410DE | 70156PLM183YW | 3 | | | | | |
| MX410DE | 70157GLM1F0VV | 3 | | | | | |
| MX410DE | 70157GLM1F0XC | 3 | | | | | |
| MX711dhe | 74635C6602GCZ | 4 | 5% | Yes | 1245 | | 1245 |
| T640n | 790BT6R | 14 | | | | | |
| T644n | 7928M1P | 12 | | Yes | | | |
| T650n | 7955MBX | 8 | | Yes | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

<< End of Data >>

30Q141 - Jan 2020 - Page 3

For more information regarding this snapshot, please contact your Lexmark team

Lexmark Team

CDW Team CDW Sales Department – 800-705-4239

| Title | Name | E-Mail | Phone |
|------------------|-------------|--------------------|--------------|
| Client Executive | Mindy Maher | mmaher@lexmark.com | 212-880-2837 |
| Site Operations | Mark Ennis | mennis@lexmark.com | 908-210-3030 |
| Systems Engineer | TBD | TBD | TBD |

| Title | Name | E-Mail | Phone | |
|------------------|---------------|------------------------|----------------|--|
| Sales Manager | John Skidmore | john.skidmore@cdwg.com | (866) 687-3187 | |
| Sales Operations | Jon Gray | jongray@cdw.com | (203) 851-7133 | |
| NYCDOE@cdwg.com | | | | |