

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lexmark	Logo
Company name *	Lexmark International Inc.	
Contact information * e-mail address	Reyjoseph Ocaba Lexmark International Inc. 740 New Circle Road, Building 001 Lexington, KY 40550 sustainability@lexmark.com	Lexmark
Internet site *	www.lexmark.com/TED - and- csr.lexmark.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Single-function Color Laser Device				
Commercial name *	Lexmark CS963				
Model number *	CS963e, CS963g				
Issue date *	06 June 2024				
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Annex B1 of ECMA-370 6th edition, corrigendum December 2019 LexmaRagoanf(8)ential

5			
Model number *	CS963e, CS963g	Logo	
Issue date *	06 June 2024		Lexmark

Item Yes No P1 Hazardous substances and preparations P1.1* Products do not contain Asbestos (see legal reference). Image: Control of Control (Control (Contro) (Contro) (Control (Contro) (Contro) (Control (Contro) (Contro	n	nmental attributes - Legal requirements	Requir	remer	nt met
P1.1* Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1) Image: Comparised of the current European RoHS Directive. (See legal reference). P1.2* Products do not contain Asbestos (see legal reference). Image: Comparised of the current European RoHS Directive. (See legal reference). P1.3* Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (IFCC), Halons, carbonettrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Image: Comparised of the current European RoHS Directive. (See legal reference). P1.4* Products do not contain more than: 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated iterphenyl (PCT) in preparations (See legal reference). Image: Comparised of the current European RoHS Directive. (SCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). P1.6* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 µg/cm?/week (see legal reference). Comment: Maxi limit in legal reference when tested according to EN1811:2011-5. P1.7* REACH Atticle 33 information about substances in articles is available at (add URL or mail contact): rREACH Atticle 33 information about substances in articles is available at (add URL or mail contact): rREACH Atticle 33 information and contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) P2.3* Batteries or accumulators are readily removable. (See legal reference) Imaphol. Information on proper disposal is provided in user			Yes	No	n.a.
P1.2* Products do not contain Asbestos (see legal reference). Image: Comment: Legal reference has no maximum concentration value. P1.3* Products do not contain Ozone Depleting Substances: Chiorofluorocarbons (CFC), hydrobromolluorocarbons (HEFC), hydrobromolluorocarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromid (see legal reference). Image: Comment: Legal reference has no maximum concentration values. P1.4* Products do not contain more than: 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference). Image: Comment: Legal reference has no maximum concentration values. P1.6* Products do not contain more than: 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 49% per mass of chlorine in the SCCP (see legal reference). Image: Comment: Maximin legal reference when tested according to EN1811::2011-5. P1.6* Product contains a battery or an accumulator. The battery/accumulator is labeled with the disposal symbolic dimeters. <i>T40 West New Circle Rd</i> , <i>Lealington</i> , <i>KY 46550</i> P2.2* Batteries and accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference). P2.3* Batteries and accumulators are readily removable. (See legal reference). P2.4* Broduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbolic dim user manual. (See legal reference). P2.3* Batteries and accumulators do not contain more than 0.0005% of mercur	do	lous substances and preparations			
Comment: Legal reference has no maximum concentration value. □ P1.3* Products do not contain Ozone Depleting Substances: Chicrofluorocarbons (CFC), hydrochronofluorocarbons (HBFC), hydrochronofluorocarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). P1.4* Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated P1.4* Products do not contain more than; 0,005% solychlorinated biphenyl (PCB), 0,005% polychlorinated P1.4* Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). P1.6* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm?/week (see legal reference). Comment: Max limit in legal references in articles is available at (add URL or mail contact): <i>REACH Program Manager (Bustalinability/Bustanutk.com): Corporate Sustainability Department, 740 West New Circle Rd, Lexington, K'x 4659 P2 Batteries P2.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference). P2.2* Batteries or accumulators are readily removable. (See legal reference). □ P3.0* The product is Co-marked to show conformance with applicable legal requirements (see legal reference). □ </i>	cts	ts do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\square		
P1.3* Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HGC), Halons, carbontetrachloride, 1,1,1-trichoroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values. P1.4* Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference). Image: Concentration Contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference). P1.5* Products do not contain more than; 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). P1.6* Products do not contain more than o,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containting at least 48% per mass of chlorine in the SCCP (see legal reference). P1.6* Products do not contain more than o,1% short chain chain biota subtandability Department, 740 West New Crick #d, Lexington, #Cddfaggram Manager (BacalmabilityDepartment, 540 West New Crick #d, Lexington, #Cddfaggram Manager (BacalmabilityDepartment, 540 West New Crick #d, Lexington, #Cddfaggram Manager (BacalmabilityDepartment, 540 West New Crick #d, Lexington, #Cddfaggram Manager (BacalmabilityDepartment, 540 West New Crick #d, Lexington, #Cddfaggram Manager (BacalmabilityDepartment, 540 West New Crick #d, Lexington, #Cddfaggram Manager (BacalmabilityDepartment, 540 West New Crick #d, Lexington, #Cddfaggram Manager (BacalmabilityDepartment, 540 West New Crick #d, Lexington, #Cddfaggram Manager (BacalmabilityDepartment, 540 West New Crick #d, Lexington, Lexington, #Cddfaggram Manager (Bacalmab					
terphenyl (PCT) in preparations (see legal reference). P1.5* Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). P1.5* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 µg/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5. P1.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact): REACH Argics 31 information about substances in articles is available at (add URL or mail contact): REACH Argics 31 information about substances in articles is available at (add URL) or mail contact): REACH Argics and accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) P2.1* If the product los Camarked to show conformance with applicable legal reference) P2.3* Batteries and accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference). P3. Conformity verification & Eco design (ErP) P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). P4. Consumable materials P4. Fa photo conductor (drum, belf etc.) is used in the product, it does not contain cadmium at a level greater than 0.1% by weight (see legal reference). P4. Consumable materials	cts oro roe	ts do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), romofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- oethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
P1.5* Products do not contain more than 0.1% short chain chioroparafilins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). P1.6* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5. P1.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact): reference when tested according to EN1811:2011-5. Image: Sustainability@lexmark.com): Corporate Sustainability Department, 740 West New Circle Rd, Lexington, RY 40550 P2 Batteries Exteries Image: Sustainability@lexmark.com): Corporate Sustainability Department, 740 West New Circle Rd, Lexington, RY 40550 P2.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) Image: Sustainability Department, 740 West New Circle Rd, Lexington, RY 40550 P2.3* Batteries or accumulators are readily removable. (See legal reference) Image: Sustainability Comports on 0.0025% of cadmium. (See legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): http://www.lemark.com/on us/abou/regularoy.com/ance/european-winor.declaration-deconformity thmi P3.3* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add URL): us/acs/	cts	ts do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	\boxtimes		
(see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5. P1.7* REACH Article 3 information about substances in articles is available at (add URL or mail contact): REACH Project 23 information about substances in articles is available at (add URL or mail contact): REACH Project 20 information on proper disposal is provided in user manual. (See legal reference) P2.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Batteries or accumulators do not contain more than 0,0005% of mercury or 0.002% of cadmium. (See legal reference) P2.3* Batteries and accumulators are readily removable. (See legal reference) P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). P3.1* The product complies with the applicable Eco design Requirements for Energy-Related Products, (see legal reference). P3.2* The product complies with the applicable Eco design Requirements for Energy-Related Products, (see legal reference). P4 Consumable materials P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference). P4.2* If the ink/toner formulation/preparation is classified as hazardous or contains a substance f	cts	ts do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in th	ne 🔀		
P1.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact): Image: Clustainability@lexmark.com): Corporate Sustainability Department, 740 West New Circle Rd, Lexington, KY 4058 P2 Batteries P2.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference) P2.3* Batteries and accumulators are readily removable. (See legal reference) P3. Conformity verification & Eco design (ErP) P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). P3. Conformity verification & Eco design (ErP) P3. Conformity verification & Eco design (ReP) P3. The product complies with the applicable Eco design Requirements for Energy-Related Products, (see legal reference). Required information is; given in item P15 or added to this document, contigneduct-certifications.ebu P4. Consumable materials P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1). P4.2* If ink/toner is used in the product, it does n	wit ega	vith direct and prolonged skin contact do not release nickel in concentrations above 0,5 μ g/cm ² /wee gal reference).	k 🔀		
P2.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference) P2.3* Batteries and accumulators are readily removable. (See legal reference) P3 Conformity verification & Eco design (ErP) P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). P3.1* The product complies with the applicable Eco design Requirements for Energy-Related Products, (see legal reference). P3.2* The product complies with the applicable Eco design Requirements for Energy-Related Products, (see legal reference). P4.4* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1). P4.2* If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% (see legal reference) and NOTE B1). P4.3* If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5.1* Packaging and packaging components do not contain more than 0,01%	H / Pro	H Article 33 information about substances in articles is available at (add URL or mail contact): Program Manager (<u>Sustainability@lexmark.com);</u> Corporate Sustainability Department, 740 West New Circle Rd., Lexington	,		
symbol. Information on proper disposal is provided in user manual. (See legal reference) Image: Symbol. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference) P2.3* Batteries and accumulators are readily removable. (See legal reference) Image: Symbol. Information & Eco design (ErP) P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): http://www.lexmark.com/en us/about/regulatory-complance/european-union-declaration-of-conformity.html P3.2* The product complies with the applicable Eco design Requirements for Energy-Related Products, (see legal reference). Required information is; given in item P15 or added to this document, available at (add URL): https://csr.lexmark.com/product.certifications.php P4 Consumable materials P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference) Image: See legal reference) P4.3* If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regular teference). Image: See legal reference) P5.4* Packaging materials are marked with abbreviations and numbers indicat	ie	es			
P2.2* Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference) P2.3* Batteries and accumulators are readily removable. (See legal reference) P3 Conformity verification & Eco design (ErP) P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). P3.2* The product complies with the applicable Eco design Requirements for Energy-Related Products, (see legal reference). P3.2* The product complies with the applicable Eco design Requirements for Energy-Related Products, (see legal reference). P4 Consumable materials P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1). P4.2* If ink/toner is used in the product, it does not contain cadmium at a level greater ecomunity workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P4.3* If the ink/toner formulation/preparation is do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The product packaging and packaging components do not			\boxtimes		
P3 Conformity verification & Eco design (ErP) P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): The product is CE-marked to show conformance with applicable legal requirements (see legal reference). P3.2* The product complies with the applicable Eco design Requirements for Energy-Related Products, (see legal reference). Required information is; given in item P15 or added to this document,	ies	es or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See lega	al 🔀		
P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): http://www.lexmark.com/nu/stabularcy-comfigure.e/european-union-declaration-of-conformity.html P3.2* The product complies with the applicable Eco design Requirements for Energy-Related Products, (see legal reference). Required information is; given in item P15 or added to this document,	ies	es and accumulators are readily removable. (See legal reference)	\boxtimes		
P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): http://www.lexmark.com/nu/stabularcy-comfigure.e/european-union-declaration-of-conformity.html P3.2* The product complies with the applicable Eco design Requirements for Energy-Related Products, (see legal reference). Required information is; given in item P15 or added to this document,	rn	rmity verification & Eco design (ErP)			
(see legal reference). Required information is; given in item P15 or added to this document, Image: Consumable materials P4 Consumable materials P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1). P4.2* If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference). P4.3* If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) is used (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). P6 Treatment information	od ec	oduct is CE-marked to show conformance with applicable legal requirements (see legal reference). eclaration of Conformity can be requested at (add link or e-mail address):			
P4 Consumable materials P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1). P4.2* If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference) P4.3* If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). P6 Treatment information	od	oduct complies with the applicable Eco design Requirements for Energy-Related Products,	\boxtimes		
P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1). P4.2* If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference) P4.3* If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). P6 Treatment information	rec				
than 0,01% (see legal reference and NOTE B1). P4.2* If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference) P4.3* If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). P6 Treatment information	Jm	mable materials			
P4.2* If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference) P4.3* If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). P6 Treatment information			\boxtimes		
are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). P6 Treatment information	on	oner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see	\boxtimes		
P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values. P6	nk om abl	k/toner formulation/preparation is classified as hazardous or contains a substance for which there mmunity workplace exposure limits, the product/packaging is adequately labeled according to ble regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available			
P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). P6 Treatment information	ct	ct packaging			
P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) Image: Comparison of the material (s) Image: Comparison			\boxtimes		
P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Image: Comparison of Comparison	acł	ckaging materials are marked with abbreviations and numbers indicating the nature of the material	(s) 🔀		
	rod ol ner	oduct packaging material is free from ozone depleting substances as specified in the Montreal ol (see legal reference). ent: Legal reference has no maximum concentration values.			
P6.1* Information for recyclers/treatment facilities is available (see legal reference).				_	
	atio	tion for recyclers/treatment facilities is available (see legal reference).	\bowtie		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model n	umber *	CS963e, CS963g Logo			
Issue date *		06 June 2024		exn	nark
Produc	tonviron	mental attributes - Market requirements (See General Note GN below)			
		nental conscious design	Requi	remen	t met
Item		tory to fill in. Additional information regarding each item may be found under P14.		No n	
P7	Design				
P7.1*		nbly, recycling			
P7.1*		t have to be treated separately are easily separable		<u> </u>	<u> </u>
P7.2*		aterials in covers/housing have no surface coating.		<u> </u>	<u> </u>
P7.3*		arts > 100 g consist of one material or of easily separable materials.		<u> </u>	<u> </u>
		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		<u> </u>	<u> </u>
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly available tools.		<u> </u>	<u> </u>
P7.6*		e easily separable. (This requirement does not apply to safety/regulatory labels).	\square		
P7.7*	Product	litetime g can be done e.g. with processor, memory, cards or drives	N7		
P7.8*		g can be done using commonly available tools		<u> </u>	<u> </u>
P7.0			\bowtie		<u> </u>
P7.9 P7.10		rts are available after end of production for: 5 years			<u> </u>
P7.10		s available after end of production for: 5 years			
P7.11*		and substance requirements over/housing material type (e.g. plastics, metal, aluminum):			
F7.11		ype: ABS Material type: PC+ABS Material type: HIPS			
P7.12		materials of external electrical cables are PVC free.		\square	
P7.13	Insulation	n materials of internal electrical cables are PVC free.			
P7.14	External	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%		Π	
	polyvinyl	000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts g more than 25% post-consumer recycled content.			
P7.15	Printed ci	rcuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low haloger d in IEC 61249-2-21. (See NOTE B2)	ı 🗌	\boxtimes	
P7.16		arded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:			
P7.17		emical specifications of flame retardants in printed circuit boards > 25 g (without components):		_	
	TBBPA (a	additive) 🛄, TBBPA (reactive) 🛄 (See NOTE B3), Other; chemical name: , CAS #:			
		emical specifications of flame retardants in printed circuit boards (without components) > 25 g g ISO 1043-4: <i>FR16</i>	\boxtimes		
P7.18	Alt. 1: Fla concentra 1. Chemi	arree retarded plastic parts > 25 g contain the following flame retardant substances/preparations in ations above 0,1%: cal name: , CAS #: (See NOTE B4)			
	3. Chemi <u>Alt. 2: </u> Ch	cal name: , CAS #: " cal name: , CAS #: " emical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			
P7.19	In plastic assigned	R17, FR30+40 parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been the following Risk phrases; and Hazard statements: ce(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)			

NOTE B3 and B4 A Guidance document on Chemical substances is available;

see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Annex B1 of ECMA-370 6th edition, corrigenmentation 2019

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

Model nu		CS963e,	CS963g			Logo			
Issue date	e *	06 June :	2024				Lex Lex	mo	Irk
Product	environm	ental attr	ributes - Market r	equirements (conti	nued)		Require	ment	met
Item							Yes	No	n.a.
	Material a	and substa	ance requirements	(continued)					
P7.20*			·	content is used in the p	· · · · · ·				
	 If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 72%. or 								
	b) The	weight of r	ecycled material is	g.					
P7.21*	lf YES; at a) Of to total or b) The	least one otal plastic plastic by weight of t	of the two alternative parts' weight > 25 g weight) is %. he biobased plastic r	i in the product (See No es below shall be answe , the biobased plastic r material is g.	ered; naterial content (calcul	ated as a perce	ntage of		
P7.22*			ee from mercury, i.e. becify: Number of lar	less than 0,1 mg/lamp. nps: and maxim	um mercury content pe	erlamp: n	ng		
P8	Batteries								
P8.1*			-	langanese Dioxide (L	iMnO2)				
P9			on (See NOTE B8)						
P9.1	For the pr	oduct the f	following power level	s or energy consumption	ons are reported:				
Energy mo	ode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Sta modes and te		nergy	
	de for ENEF perational N lucts		W	W	W				
Standby/o ENERGY	off mode for STAR Opei 1) products	rational	W	W	W				
TEC produ Energy Co	e for ENER(ucts (TEC= onsumption)	Typical	0.79 kWh/week	0.80 kWh/week	0.80 kWh/week	Energy Star			
Printing			766 W	764 W	742 W	Corporate St	andard		
Ready			28 W	27 W	25 W	Energy Star			
Sleep			1.09 W	1.13 W	1.13 W	Energy Star	V3.2		
Hibernate)		0.09 W	0.10 W	0.13 W	IEC 62301			
Off			0.09 W	0.10 W	0.13 W	IEC 62301			
			W	W	W				\boxtimes
External P	Power Supp	ly Efficienc	y Level (Internationa	I Efficiency Marking Pro	otocol) * :				
Print/Scar	n Speed *	:	55 images per minut	e		ISO 24734			
Default time to enter energy save mode: 15 minutes Energy Star V3.2									
P9.2*	Informatio	on about th	e energy save functi	on is provided with the	product.		\square		

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	CS963e, CS963g	Logo	· · · · · · · · · · · · · · · · · · ·
Issue date *	06 June 2024		💽 Lexmark

Product	t environmenta	al attributes	- Market requirements	(continued)			Require	ment	met
Item							Yes	No	n.a.
P10	Emissions								
B / A /			according to ISO 9296 (See						
P10.1	Mode	Mode des	cription	Statistical upp L _{WA,c} (B)	per limit A-wei	ghted sound power	level,		
	Idle	* Idle / Re	ady	3.2					
	Operation		Monochrome Printing	7.2					
	Other mode	Simple I	Monochrome Printing	7.0					
	Measured acc	ording to: 🔀	ISO 7779 🔀 ECMA-74						
		с —	Other	(only if not cov	ered by ECM	A-74)			
	Chemical emi	issions from	printing products (See NC	DTE B10)	, i i i i i i i i i i i i i i i i i i i	1	÷		
P10.2*	Test performed	d according to	ECMA-328 Determination	of Chemical Emiss	ion Rates fror	n Electronic	\boxtimes		
			, other specify: DE-UZ 2	219					
P10.3	Typical emissi	on rate (opera	tion phase) is (mg/h):						
									_
	Electrophotogr 13.900	raphic devices	: Ozone <0.28 (LOQ) Dust	0.48 Styrene 0.06	1 Benzene <0	<i>).012 (LOQ)</i> TVOC			
	Ink devices:		Dust	Styrene	Benzene	TVOC			
		anaa with may	vimum amiasian ratas in asa	labela ta ba daela	rad in D14				
P11			kimum emission rates in eco printing products	labels to be decia	ieu in P14.				
P11.1*			is available for the ink/toner	preparation, even	if not legally r	equired (see P4.3).	. 🖂		
P11.2*		, ,	imer recycled fibers can be					╞	┢
2	EN 12281.	ing poor conor		dood, providou ind		requiremente er			
P11.3*	2-sided (duple:	x) printing/cop	ying is an integrated produc	ct function.			\boxtimes		
P11.4*	The product is	delivered to e	end-user with default auto-du	uplex enabled.					
P13	Packaging an	d documenta	tion						
P13.1*	Product packa Product packa Product packa Product packa Product packa Product packa	ging material ging material ging material ging material ging material ging material	type(s): HDPE weig type(s): EPS weig type(s): Molded Pulp weig	ht (kg): 0.8914					
P13.2*	Product plastic	c primary pack	aging is free from PVC.				\boxtimes		
P13.3*	For product pri		ted fiberboard packaging, spontent: 30 %	pecify the containe	d percentage	of minimum post-			
P13.4*		for user and p	product documentation (tick	box):					
P13.5		uct document	em if paper documentation ation on paper media is chlo						
	Totally chlorine-free								
	Elemental chlorine-free								
	Processed chl						H		
P14	Voluntary pro								
P14.1			rements of the following vol	untary program(s):					
	ENERGY STA Eco-label: Blu		Criteria version: 3.2 Criteria version: RAL UZ-	Date: Nov. 2 219 Date: Jan. 2	2021 Produ	uct category: Imagi uct category: Office			1
	Eco-label:		Criteria version:	Date:		ing Function uct category:			

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B10 A Guidance document on Chemical Emissions is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	CS963e	Logo	···
Issue date *	06 June 2024		Lexmark

Produc	t environmental attributes - Market requirements (concluded) Requirement met
P15	Additional information (See NOTE B11)
P2.1	The battery contained within this product should be disposed of properly with the product. The product is properly labeled with the WEEE disposal symbol and instructions for such disposal is listed in the product User's Guide
P2.3	The battery contained within this product meets the exception listed. The battery is not intended to be removed by the customer; however, is designed for easy removal by recyclers and service providers
P5.2	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used when they are >25g
P7.14	A small amount of bromine may be present in covers due to sourcing post-consumer recycled content. No bromine was intentionally added in the processing of these parts.
P7.20	Per IEEE 1680.2 PCR calculation

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P3.1, P4.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2, P9.1
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2

Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	