

## Table 1a: Color Product Sustainability Specifications:

	Produ	ct Info	rmation	PCR	and Re	cycling	Service		Mat	terials		Packag.
Туре	SFP/ MFP	Series	Models	<b>PCR%</b> (h/w) <sup>1</sup>	PCR% supply <sup>6</sup>	RoR% (Rate of Recycling) <sup>2</sup>	Repairability <sup>3</sup> & durability index <sup>4</sup>	Rare Earth Elements (milligrams)	Precious Metals (milligrams)	SVHC <sup>7</sup>	Endocrine Disruptor	EPR Eco Modulation
		9XX	CS921de, CS923de	33%		91% (mostly recyclable)						
		7//	CS943de	9%		87%						
		8XX	C6160, CS820de CS820dte, CS820dtfe	34%		91% (mostly recyclable)						
			C4150, CS720de CS720dte, CS725de CS725dte	51%		96 % (fully recyclable)						
		7XX	C4342, C4352 CS730de, CS735de CS737dze, C3752dw	41%		93% (mostly recyclable)						
	SFP.		C2240, CS622de	45%		90%						
	Single Function	6XX	CS632dwe, CS639		-	(mostly recyclable) 93%						
	Printer			50%		(mostly recyclable)						
		5101	C2535dw, CS521dn	45%		93% (mostly recyclable)			Product may contain precious metals See declaration for details - dick here	Product may contain some SVHCs	Products do not contain endocrine disruptors	
		4XX	CS531dw, C2335	50%		93% (mostly recyclable) 93%		Product may contain rare earth elements				
			C2425dw, CS421dn	47%	-		Standard not yet available for scoring <sup>†</sup> 3,4					
			CS431dw		39%	(mostly recyclable) 96%						
			C2326, C3426dw	17%		(fully recyclable)						
			C3326dw, CS331dw	16%		98 % (fully recyclable)						
		2XX	C3224dw	16%		98 %						Not availabli yet
		9XX .	CX920de, CX921de CX922de, CX923de CX923dte, CX923dxe CX924dte, CX923dxe CX924dte, CX924dxe XC9225, XC9235 XC9245, XC9255 XC9265	31%		(fully recyclable)  91% (mostly recyclable)				See declaration for details - click here		
			CX930dse, CX931dse	501		0.50/						
<u>Color</u> <u>Laser</u>			CX931dtse, XC9325, XC9335 CX942adse CX943adtse, CX943adxse CX944adtse, CX944adxse	10%		90% (mostly recyclable)						
		8XX	XC9445, XC9465 CX820de, CX820dtfe CX825de, CX825dte CX825dtfe, CX880de CX860dte, CX860dtfe XC6152de, XC6153 XC6153d, XC8160de XC8153d, XC8160de	37%		97% (fully recyclable)						
	MFP Multi Function	1 7XX	CX725de, CX725dhe CX725dthe XC4140, XC4150 XC4143, XC4153	43%		97% (fully recyclable)						
	Printer		CX730de, CX735adse, CX737adzse, MC3752adw, XC4342, XC4352	32%		93% (mostly recyclable)						
		6XX	CX622ade, CX625ade CX625adhe, MC2640adwe XC4240	43%		97% (fully recyclable)						
			CX635adwe	33%		93% (mostly recyclable)						
			CX522ade, MC2535adwe XC2235	40%		94%						
		5XX	CX532adwe, XC2335	33%		(mostly recyclable) 93% (mostly recyclable)						
		4XX	CX421adn, MC2425adw, MC3426adw MC3426i, XC2326	41%		96% (fully recyclable)						
			CX431adw, MC3426i XC2326	11%		96% (fully recyclable)						
		3XX	CX331adwe, MC3326i	11%		97%						
		2XX	MC3224adwe, MC3224dwe		-	(fully recyclable) 96%						
			MC3224i	13%		(fully recyclable)						

- $1 Per \ IEEE \ 1680.2 \ standard \ for \ calculation \ of \ PCR \ (Post \ consumer \ recycling) \ of \ plastics \ for \ h/w \ (hardware) \ devices$
- 2 Per IEEE 1680.2 standard for calculation of RoR (rate of recyclability). Values >95% are considered as "fully recyclable", while values between 90% and 95% are considered mostly recyclable.
- 3 Repairability Index standard has not yet been published for Imaging Devices
- 4 Durability Index standard has not yet been published for Imaging Devices
- 5 See Glossary for more details
- $\ensuremath{\text{6}}$  Combined reclaimed plastic through PCR and ReUse of branded supplies
- \* Determined values not yet available or confirmed
- †- Values are not yet available due to standard not released yet.
- 7 SVHC are defined under EU-REACH as Substances of Very High Concern.



## Table 1b: Mono Product Sustainability Specifications:

Produ	uct Info	rmatio	on	PCR <sup>5</sup> and Recycling			Service		Packag.			
Туре	SFP/ MFP	Series	Models	<b>PCR%</b> (h/w) <sup>1</sup>	PCR% supply <sup>6</sup>	RoR% (Rate of Recycling) <sup>2</sup>	Repairability³ & durability index⁴	Rare Earth Elements (milligrams)	Precious Metals (milligrams)	SVHC <sup>7</sup>	Endocrine Disruptor	EPR Eco Modulation
		9XX	MS911de	9%		94% (mostly recyclable)						
		8XX	B2865dw, M5255 M5270, M5821dn M5821n, M5822de M5823dn, M5823n M5823dn, M5826de	58%		96% (fully recyclable)						
		7XX	MS725dvn	60%		96 % (fully recyclable)						
		6XX	B2650dw, M3250 MS621dn, MS622de	44%		92 % (mostly recyclable)						
	<u>SFP</u> Single	0,01	MS631dw, MS632dwe MS639, M3350	52%		92% (mostly recyclable)						Not available yet
	Function Printer	5XX	B2546dw, M1246 MS521dn	42%		93% (mostly recyclable)			Product <u>may</u> contain precious metals	Product may contain some SVHCs	Products do nat contain endocrine disruptors	
	Time		MS531dw	50%		91% (mostly recyclable)						
		4XX	B2442dw, B3442dw M1242, M1342 MS421dn, MS421dw	42%		95% (mostly recyclable)	Standard not yet available for scoring <sup>1,3,4</sup>					
			MS431dw, MS431dn	34%		95%						
			B3442dw, M1342 B2338dw, MS321dn	42%	-	(mostly recyclable) 94% (mostly recyclable)		Product <u>may contain</u>				
		3XX	MS331dn, B3340dw	34%		95% (mostly recyclable)		rare earth elements				
		2XX	B2236dw	0.1%	39 %	95% (mostly recyclable)		See declaration thresholds - click here				
Mono Laser		933	MX910de, MX910dxe MX911de, MX911dte MX912de, MX912dxe XM9145, XM9155, XM9145	6%		94% (mostly recyclable)			See declaration for details - click here	See declaration for details <u>- click here</u>	See declaration for details - click here	
			MX931dse	6%		84%		- <u>CIICK Here</u>	- <u>CIICK TIEFE</u>			
		8XX	MX822ade, MX822adte MX822adxe, MX826ade MX826adxe, XM7355 XM7355b, XM7370	54%		98% (fully recyclable)						
		7XX	MX721ade, MX721adhe MX722ade, MX722adhe XM5365, XM5370	53%		95% (mostly recyclable)						
		6XX	MX622ade, MX622adhe XM3250	29%		93% (mostly recyclable)						
	MFP		MX632adwe, XM3350	35%		92%	-					
	Multi Function Printer	5XX	MB2546adwe, MX521ade MX521de, MX522adhe XM1246	26%		(mostly recyclable) 96% (fully recyclable)						
		3/1/	MX532adwe	35%		92%						
			MB2442adwe, MX421ade	27%		(mostly recyclable) 94%						
		4XX	XM1242 MX431odn, MX431odw MX432odwe, MB3442i XM1342, XM3142, MB3442odw	24%		(mostly recyclable)  95% (mostly recyclable)	-					
		277	MB2338adw, MX321adn MX321adw	27%		94% (mostly recyclable)						
		3XX	MX331adn	24%		93% (mostly recyclable)						
		2XX	MB2236adw, MB2236adwe MB2236i	0.1%		93% (mostly recyclable)						

- $1 Per\ IEEE\ 1680.2\ standard\ for\ calculation\ of\ PCR\ (Post\ consumer\ recycling)\ of\ plastics\ for\ h/w\ (hardware)\ devices$
- 2 Per IEEE 1680.2 standard for calculation of RoR (rate of recyclability). Values >95% are considered as "fully recyclable", while values between 90% and 95% are considered mostly recyclable.
- 3 Repairability Index standard has not yet been published for Imaging Devices
- ${\bf 4}$  Durability Index standard has not yet been published for Imaging Devices
- 5 See Glossary for more details
- $\ensuremath{\text{6}}$  Combined reclaimed plastic through PCR and ReUse of branded supplies
- \* Determined values not yet available or confirmed
- †- Values are not yet available due to standard not released yet.
- 7 SVHC are defined under EU-REACH as Substances of Very High Concern.



# Table 2: Product Packaging Specifications:

Product	Infor	matio	n		Packaging Re	cycling	Packagii	Misc.		
Туре	SFP/ MFP	Series	Model s	PCR% pack.	MTRFC⁵ (minimum total recovered fiber content)	Possibilit y for Reuse	RoR (Rate of Recycling)	SVHC <sup>7</sup>	Endocrine Disruptor	EPR eco modulation
<u>Device</u> Mono & Color Devices	SFP & MFP	All	All	Not applicable yet	Paperboard >80% Corrugated Fiberboard >35% Solid fiberboard >40% Spiral wound tubes >20%		Not applicable yet	Packaging does not contain <u>SVHCs</u>	Products do <u>not contain</u> endocrine disruptors See declaration for details - <u>click here</u>	Not available yet
Supplies Mono & Color	SFP & MFP	All	All	Not applicable yet	Paperboard >80% Corrugated Fiberboard >35% Solid fiberboard >40% Spiral wound tubes >90%	Fully Recyclable	Not applicable yet	Packaging does not contain <u>SVHCs</u>	Products do <u>not contain</u> endocrine disruptors See declaration for details - <u>click here</u>	Not available yet

<sup>5 -</sup> See Glossary for more details

## **Table 3: Product Battery Specifications:**

Product Information			n	Battery R	ecycling	Battery	Misc.	
Туре	SFP/ MFP	Series	Models	PCR% (battery)	RoR% (Rate of Recycling)	SVHC <sup>7</sup>	Endocrine Disruptor	EPR eco modulation
Mono & Color	SFP & MFP	All	All	Not applicable yet	Not applicable yet	Product may contain <u>some</u> <u>SVHCs</u> See declaration for details <u>- click here</u>	Batteries do <u>not contain</u> endocrine disruptors See declaration for details - <u>click here</u>	Not available yet

<sup>5 -</sup> See Glossary for more details

<sup>7 -</sup> SVHC are defined under EU-REACH as Substances of Very High Concern.

<sup>7</sup> - SVHC are defined under EU-REACH as Substances of Very High Concern.



Table 4: Paper Insert - Specifications:

Produ	ct Info	rmatic	n		Packaging Recycli	ing	Packaging N	Misc.	
Туре	SFP/ MFP	Series	Models	PCR % for paper inserts	MTRFC <sup>5</sup> (minimum total recovered fiber content)	RoR (Rate of Recycling)	SVHC <sup>7</sup>	Endocrine Disruptor	EPR eco modulation
Mono & Color	SFP & MFP	All	All	Not applicable yet	Paperboard > <b>80%</b> Corrugated Fiberboard > <b>35%</b> Solid fiberboard > <b>40%</b> Spiral wound tubes > <b>20%</b>	Fully Recyclable	Packaging does not contain <u>SVHCs</u>	Products do <u>not contain</u> endocrine disruptors See declaration for details - <u>click here</u>	Not available yet

#### <u>Glossary</u>

MTRFC (Minimum Total Recovered Fiber Content) - Packaging materials paperboard, corrugated fiberboard, solid fiberboard, and spiral wound tubes that meet or exceed the minimum total recovered fiber content specified in Table 1 below:

Table 1 --Minimum total recovered fiber content (per Lexmark Packaging Requirement)

Category	Comments/examples	Total recovered fiber content
Paperboard	Boxboard Chipboard Barrier board Carton board	80%
Corrugated fiberboard <sup>b</sup>	Container board Linerboard Corrugated medium	35%
Solid fiberboard		40%
Spiral wound tubes	Comprised of paper only	90%

<sup>&</sup>lt;sup>b</sup> Required content based on weighted average (by weight) of all components in packaging part (e.g. liners and mediums in corrugated).

PCR (Post Consumer Recycled Materials) - A material or finished product that has served its intended use and has been discarded for disposal or recovery, having completed its life as a consumer item; part of the broader category of "recovered" items.

RoR (Rate of Recycling) - The rate of reusability of components and recyclability of materials and components by weight in the product, utilizing the current infrastructure and using demonstrated technologies, shall meet or exceed the rate specified in the EU WEEE Directive 2002/96/EC for the applicable product category.

<sup>7 -</sup> SVHC are defined under EU-REACH as Substances of Very High Concern.

alculated as percent of total packaging part weight over the course of a year using a weighted average